D7/391

FRANCE
#557,038 65/16.1

~~FXD7-83~~

sheet drg.
page spec.

N° 557.038 Mme Holt née Eastwood Pl. unique



RÉPUBLIQUE FRANÇAISE.

OFFICE NATIONAL DE LA PROPRIÉTÉ INDUSTRIELLE.

BREVET D'INVENTION.

IX. — Matériel de l'économie domestique.

1. — Articles de ménage.

N° 557.038
JAN 14 1924
PATENT OFFICE

Perfectionnements aux casseroles pour l'usage domestique et autres usages.

Mme HOLT née Eva EASTWOOD résidant en Angleterre.

Demandé le 5 octobre 1922, à 14h 41m, à Paris.
Délivré le 26 avril 1923. — Publié le 1er août 1923.

Cette invention a trait à des perfectionnements apportés aux casseroles pour l'usage domestique et autres usages et elle a pour objet d'établir la casserole de manière qu'elle occupe le minimum d'espace sur un feu ou sur un fourneau à gaz tout en lui donnant une forme très commode pour la manier et pour s'en servir. Jusqu'ici on a l'habitude de se servir sur toutes les cuisinières, ou sur tous les fourneaux à gaz, de casseroles affectant la forme cylindrique, de sorte que lorsqu'on place côte à côte deux casseroles de ce genre, ou davantage, une grande surface de la cuisinière n'est pas couverte en raison de la courbure des parois de la casserole ; comme il y a une perte de chaleur la cuisinière doit être faite plus grande que cela est nécessaire.

On réalise l'objet de l'invention en donnant à la casserole une section transversale rectangulaire ou carrée, ou bien encore en la formant avec plusieurs surfaces plates constituant les côtés.

L'invention est représentée schématiquement et à titre d'exemple sur le dessin annexé représentant une vue en perspective de la casserole.

La casserole *p* est formée de manière que ses côtés *a* soient perpendiculaires l'un à l'autre, ou à peu près de sorte que lorsqu'on place côte à côte sur la cuisinière deux casseroles, ou davantage, ces côtés s'appliquent les uns contre les autres pour que tout l'espace qui se trouve sur la cuisinière soit utilisé et que par conséquent il y ait peu de chaleur de perdue par suite du passage des gaz chauds entre les côtés adjacents des casseroles. Pour verser plus facilement on peut prévoir un bec spécial, mais ce n'est pas indispensable car la formation de la casserole elle-même, donne beaucoup de facilités pour verser. La poignée *d* est montée de préférence, au coin de la casserole, mais si on le désire on peut la fixer sur l'un des côtés. Le couvercle *c* affecte une forme appropriée quelconque et peut, si on le désire, être pourvu d'une saillie destinée à recouvrir le bec de la casserole, si un bec spécial est prévu. La casserole peut être fabriquée d'une manière appropriée quelconque par estampage, étirage ou autrement.

Résumé.

L'invention comprend :

1° Une casserole dont le corps, de forme rectangulaire, comporte des côtés perpendiculaires les uns aux autres.

2° Une casserole comportant plusieurs surfaces plates constituant les côtés de ladite casserole.

Mme HOLT née EASTWOOD.

Par procuration :
Brandon frères.

Prix du fascicule : 1 franc.

Pour la vente des fascicules, s'adresser à l'Imprimerie Nationale, 87, rue Vieille-du-Temple, Paris 3e).

D7/391
FRANCE

18

1938

654

834,287
FRANCE
8-8-1938

N° 834.287 M. Deficis Pl. unique

220
30b

Fig. 1.



a = encoche (fr) = notch

Fig. 2.



Fig. 3.

notches on cover to ease the snapping on to a box.

220/60

EXAMINER'S COPY
DIV. 46

RÉPUBLIQUE FRANÇAISE.

MINISTÈRE DU COMMERCE ET DE L'INDUSTRIE.

DIRECTION DE LA PROPRIÉTÉ INDUSTRIELLE.

BREVET D'INVENTION.

Gr. 8. — Cl. 3. N° 834.287

Couvercle de boîte métallique.

M. DEFICIS, Jean, Pierre résidant en France (Dordogne).

Demandé le 12 février 1938, à 10 heures, à Périgueux.
Délivré le 8 août 1938. — Publié le 16 novembre 1938.

Ce couvercle de boîte métallique est fait dans le but d'améliorer le sertissage des couvercles sur les boîtes métalliques pour conserves modèle d'épicerie. Ce sertissage se fait au moyen d'une sertisseuse à main dont le modèle diffère des sertisseuses à molettes.

La fig. 1 représente le couvercle vu en perspective du dessus.

La fig. 2 montre le couvercle en élévation.

La fig. 3 représente la coupe du couvercle dans son diamètre.

Le rebord du couvercle *b* devant reposer sur le bord de la boîte est légèrement incliné pour faciliter l'entrée de la sertisseuse, le rebord incliné du couvercle est pourvu d'une partie arrondie dans son pourtour extérieur pour aider l'agrafage du rebord de la boîte. Sur cet arrondi des petites encoches *a*, traversant le métal du couvercle, sont espacées d'environ trois millimètres et leur nombre varie suivant le diamètre du couvercle, la hauteur de ces encoches est d'environ de deux millimètres, le but de ces encoches est d'empêcher le rebord du couvercle de se déformer, de se froisser, lorsque le diamètre extérieur du couvercle se réduit pendant l'opération du sertissage.

RÉSUMÉ.

Sur le pourtour d'un couvercle pour boîte métallique à sertir se trouve au bas du rebord du couvercle des petites encoches assez rapprochées le rebord du couvercle est incliné et sa partie extérieure comportant les encoches, légèrement roulée; ceci pour faciliter le sertisage dans son ensemble.

DEFICIS, Jean, Pierre,
Cours Montaigne, 10, Périgueux (Dordogne).

Prix du fascicule : 10 francs.

Pour la vente des fascicules, s'adresser à l'IMPRIMERIE NATIONALE, 27, rue de la Convention, Paris (15e).

D7/391

Stock molds

The packager who decides in favor of a plastics container for his product would do well to consider using a stock mold item for his package. Unless familiar with the field of packaging in plastics, he may not realize the number and variety of stock mold items available. The majority of all plastic closures for bottles and jars, as well as a great many plastic cosmetic containers, are made with stock molds. Even a packager who needs a specialty item may find that a suitable mold exists.[1]

The numerous varieties may be given further individuality by specifying particular colors and by printing designs, brand names or trade-marks on the surface after molding. (See *Decoration of Plastics*, p. 380). If the run is long enough, the molder will usually adapt the stock mold to incorporate a brand name or design.

Purchasers may also specify material to be used, but selection is limited by molding method for which the stock mold was constructed.

Outstanding advantage of using a stock mold is the saving in cost. When the packager wants a container or closure for a utility product, or wants only a short run of containers, the expense of constructing a special mold may not be justified. In such a case, the use of a stock mold is indicated. Each packager pays only a small fraction of the high cost of making the mold, for the molder amortizes that over a number of orders.

Secondly, there is the saving in time. Since the mold is already in existence, the customer need wait only for the press capacity and the availability of material. Occasionally, even this delay may be eliminated, for some custom molders keep in stock large quantities of popular items, ready to fill orders.

Stock mold items discussed above are produced by either the compression or the injection molding method. However, the term is loosely used to include a number of other articles. Transparent fabricated acrylic boxes and display components are frequently stock pieces. Also used in displays are laminated sheets and rods, while rigid laminated tubes may be fabricated into tubular containers.

Other stock tubing, in cylindrical or angular shapes, is extruded of transparent or opaque cellulose materials in various lengths, diameters and wall thicknesses. The ends may be threaded for screw caps, if desired, or by a special process one end may be sealed off to form a vial, bottle or jar. A thin-walled extrusion may be used as the basis for a collapsible tube.

[1] Information may be obtained by consulting Readers' Service, *Modern Plastics Magazine*, 122 East 42nd St., New York, 17, New York.

1—The wide variety of available standard and special-purpose types meet most closure needs.
2—Stock molds are widely used for cosmetic containers where packaging costs must be kept low



1948

~~D/F 1 H~~ 92
XD 7/~~131~~ 391

House Furnishing Review

March 1949

P. 146

THE MAGIC POT LID
3 IN 1 SIZE
Lid to fit pots 3-4-6 Qt. Sizes. Housewives' answer for late dinner arrivals—Keeps food warm in pot and on MAGIC POT LID. Saves time; Saves gas; Saves extra pots and pans. Use as colander.
HERMA MFG. CO.
71 HOBSON ST. NEWARK 8, N. J.
WAverly 3-3307

~~644-1.11~~ 391 ~~92~~
XD 7/~~137~~

Popular Mechanics

April 1954

P. 142



D7/~~131~~ 391

MAY 15, 1956 #547,437

547437

6.

BELGIUM

Fig. 1



Fig. 2



Fig. 3



RP-7201
RP-7313

B 5 d

ROYAUME DE BELGIQUE

SCIENTIFIC LIBRARY
NOV 23 1959
U. S. PATENT OFFICE



SERVICE DE LA PROPRIÉTÉ INDUSTRIELLE

BREVET D'INVENTION
N° 547437

demande déposée le 30 avril 1956 à 13 h.30' ;
brevet octroyé le 15 mai 1956.

W. KUNIK, résidant à FRANCFORT s/Main (Allemagne).
(Mandataire : M. BOCKSTAEL).

RECIPIENT, NOTAMMENT EN MATIERE SYNTHETIQUE THERMOPLASTIQUE A FERMETURE ETANCHE.

(ayant fait l'objet d'une demande de brevet déposée en France le 24 janvier 1956 et d'une demande de première addition y déposée le 20 avril 1956 - déclaration du déposant).

IMPRIME et EDITE le 6 NOVEMBRE 1959. PRIX : 20 Fr.

On connaît des récipients à conserves en matières synthétiques thermoplastiques dans lesquels le bord rabattu des couvercles à son extrémité, et la paroi des récipients à une certaine distance de son bord supérieur, présentent un bourrelet périphérique en saillie vers l'extérieur, bourrelets qui, après l'application du couvercle, sont soudés ensemble au moyen d'un outil chauffé, ce qui permet de placer les récipients ainsi fermés dans un bain-marie ou dans un bain de vapeur, en vue de leur chauffage.

Une telle fermeture qui est absolument étanche est suscep-

547437

tible d'assurer aux denrées traitées une conservation de longue durée; mais elle ne pourrait s'appliquer avec profit aux récipients en matières synthétiques thermoplastiques que le jour où il serait possible de fabriquer à des prix réduits de telles matières et qui résistent à la cuisson.

Or, il s'est révélé que pour diverses conserves qui sont destinées à une consommation rapide, une fermeture étanche à l'eau est suffisante.

La présente invention a pour but la réalisation d'une fermeture pour récipients à conserves de toute forme, notamment en matières synthétiques thermoplastiques, qui soit étanche à l'eau et qui permette en même temps une évacuation complète de l'air contenu dans les récipients.

Elle a pour objet un récipient de ce type dans lequel le couvercle et la paroi du récipient présentent, l'un à l'extrémité de son bord rabattu et l'autre au voisinage de son bord supérieur, un bourrelet périphérique en saillie vers l'extérieur, ces deux bourrelets venant en contact après enfoncement dudit bord supérieur dans l'embouti prévu à la base du rabattement du bord du couvercle, caractérisé en ce que le diamètre intérieur du bord rabattu est légèrement inférieur au diamètre extérieur de la paroi délimitant l'orifice du récipient et que le fond du couvercle est légèrement bombé.

Pour appliquer le couvercle ainsi conçu sur son récipient, il est d'abord nécessaire d'un élargir légèrement le bord, ce qui s'obtient en pressant sur sa partie bombée puis, lorsque cet élargissement est devenu suffisant pour le permettre, de faire glisser le couvercle par dessus le bord du récipient. En lâchant ensuite le couvercle ,celui-ci tend à reprendre sa forme initiale, ce qui fait que son bord est fortement pressé sur la ou les parois du récipient.

La fermeture ainsi réalisée est étanche à l'eau, et cela d'autant plus que le manque d'air qui, après l'application du couvercle, règne à l'intérieur du récipient tend encore à la renforcer. Par ailleurs, ce manque d'air contribue en même temps à une meilleure conservation des denrées contenues dans le récipient

Le dessin annexé montre schématiquement, à titre d'exemple non limitatif, une forme de réalisation de l'invention.

La fig.1 est une coupe verticale axiale du couvercle avant son application, ainsi que de la partie supérieure du récipient, le fond du couvercle étant bombé vers l'extérieur;

La fig.2 est une coupe verticale axiale du récipient fermé par ledit couvercle bombé vers l'extérieur; et

La fig.3 est une vue analogue à la fig.1, le fond du couvercle étant bombé vers l'intérieur.

Le couvercle 1 a un bord rabattu 2 présentant un bourrelet d'extrémité 3 et, à la naissance de ce bord 2, une cannelure emboutie profonde 3'. Le fond 1' du couvercle est légèrement bombé vers l'extérieur et le diamètre intérieur du bord 2 est un peu plus petit que le diamètre extérieur de la paroi délimitant l'orifice du récipient 4.

Le récipient 4 comporte sur sa paroi extérieure et à une certaine distance de son bord supérieur 5 un bourrelet 6 s'étendant sur tout son pourtour.

Le couvercle 1 et le récipient 4 peuvent être fabriqués en toute matière appropriée mais de préférence en une matière synthétique thermoplastique, par exemple à base de polystyrène.

Pour fermer le récipient 4, on pose le couvercle 1 et on l'enfonce en exerçant une pression sur sa partie bombée 1'; le bord 2 du couvercle s'élargit jusqu'à ce que le bord supérieur 5 du corps du récipient 4 puisse pénétrer dans la cannelure 3' du couvercle. En accentuant quelque peu la pression sur la partie bombée 1' du couvercle 1, ce qui la fait entrer plus profondément

à l'intérieur du récipient 4 (voir la position en traits mixtes de la fig.2), on obtient une évacuation presque complète de l'air contenu dans le récipient. En cessant ensuite la pression sur le couvercle, la partie bombée de celui-ci tend à reprendre sa forme initiale; il s'ensuit que le bord du couvercle est serré énergiquement autour de la paroi du récipient et que celui-ci est fermé hermétiquement.

Pour ouvrir le récipient, il suffit d'exercer de nouveau une légère pression sur la partie bombée du couvercle ayant repris sa forme initiale, puis d'enlever le couvercle du récipient.

Quant au bourrelet 6 prévu sur le récipient, il a essentiellement pour but de protéger la fermeture contre toute ouverture involontaire qui pourrait être provoquée, par exemple, par un choc dirigé sur le bord inférieur au bord rabattu du couvercle.

Pour faciliter le remplissage des récipients munis d'une fermeture selon l'invention, on se servira avantageusement d'un support 7, dont la forme et les dimensions s'adaptent exactement à celles de la partie inférieure du récipient (voir fig.2).

En variante d'exécution du couvercle, le fond de celui-ci pourra être bombé vers l'intérieur ainsi que le montre la fig.3 en 1". L'espace rempli d'air est ainsi réduit, et sa raréfaction est plus poussée, ce qui permet, sous l'action de la pression atmosphérique, d'assurer une étanchéité accrue de la fermeture du couvercle.

Il n'est pas nécessaire que le couvercle soit toujours fabriqué dans la même matière que le récipient. Alors que pour le récipient, on choisira de préférence une matière transparente, le couvercle, lui, pourrait être fait en une matière opaque, telle que par exemple le polyéthylène.

547437

- REVENDICATIONS -

1° - Récipient, notamment en matière synthétique thermoplastique, à fermeture étanche, du type dans lequel le couvercle et la paroi du récipient présentent, l'un à l'extrémité de son bord rabattu et l'autre au voisinage de son bord supérieur, un bourrelet périphérique en saillie vers l'extérieur, ces deux bourrelets venant en contact après enfoncement dudit bord supérieur dans l'embouti prévu à la base du rabattement du bord du couvercle, caractérisé en ce que le diamètre intérieur du bord rabattu est légèrement inférieur au diamètre extérieur de la paroi délimitant l'orifice du récipient et que le fond du couvercle est légèrement bombé.

2° - Récipient selon la revendication 1, caractérisé en ce que le fond du couvercle est légèrement bombé vers l'extérieur du récipient.

3° - Récipient selon la revendication 1, caractérisé en ce que le fond du couvercle est légèrement bombé vers l'intérieur du récipient.

4° - Récipient selon la revendication 1, caractérisé en ce que l'embouti prévu à la base du rabattement du bord du couvercle présente une cannelure relativement profonde.

5° - Récipient selon la revendication 1, caractérisé en ce que le bourrelet périphérique en saillie extérieure sur la paroi extérieure du corps du récipient est prévu à une distance de son bord supérieur égale à la longueur du bord rabattu du couvercle.

6° - Récipient selon la revendication 1, caractérisé en ce que pour son remplissage, il est placé dans un support épousant sa partie inférieure.

- RÉSUMÉ -

Récipient, notamment en matière synthétique thermoplastique, à fermeture étanche, dont la fermeture est assurée par un couvercle à bord tombé dont le diamètre intérieur au rabattement est légèrement inférieur au diamètre extérieur de la paroi délimitant l'orifice du récipient, venant s'engager dans un embouti prévu à la naissance dudit rabattement.

XD

~~D44-1.m~~ 92

XD 7/~~37~~ 391

Better Homes and Gardens

Feb. 1957

P. 236

Patent Pending
Complete Protection
FROM GREASE SPATTER
One size bright aluminum MAGIC SHIELD fits ON all medium and large skillets and AROUND smaller sizes. Easy to use. Easy to clean. Keeps spatter IN the skillet.
$1.25 POSTPAID NO C.O.D.'s
TWO SHIELDS POSTPAID FOR $2.40
Money back if not delighted.
WILCO PRODUCTS
Dept. B, P. O. Box 905 Louisville, Ky.
236

D7/3

D7-391

D7/~~13~~391

02-18-63
08-01-62

~~D44-15-A~~

92

BUFFET SNEEZE SHIELDS

MADE OF EXTRA STRENGTH CRYSTAL CLEAR PLEXIGLAS

STURDY STAND KEEPS SHIELD IN PERFECT POSITION – HIGHLY CHROMED TO MAKE A NEAT DISPLAY SHIELD MEASURES 4 FT. WIDE X 2 FT HIGH PLEXIGLAS MEASURES 4 FT. X 1 FT.

LIST PRICE $25.00 EA.

(OTHER SIZES UPON REQUEST)



SNEEZE SHIELDS

MADE OF EXTRA STRENGTH CRYSTAL CLEAR PLEXIGLAS

AVAILABLE IN TWO SIZES:

10" x 12" x 7" IS DESIGNED FOR USE WITH STANDARD 12" x 20" SERIES CAFETERIA PANS

13" x 18" x 7" IS DESIGNED FOR USE WITH STANDARD 18" x 26" PASTRY TRAYS

NUMBER	DESCRIPTION	PRICE
10 x 12 SS	10" x 12" x 7" – ¼" gauge	$6.50 ea
13 x 18 SS	13" x 18" x 7" – ¼" gauge	8.00 ea



PLEXIGLAS INSERTS

MADE TO FIT WEAREVER SALAD AND RELISH BOWLS

PREVENTS TARNISH AND METALLIC TASTE

Catalog No.	Price
5232	$3.40 ea
5233	3.80 ea
5235	4.00 ea
5236	6.70 ea





DOME COVERS

AVAILABLE IN THREE SIZ.

10 x 12 SIZE IS DESIGNED FOR USE WITH STANDARD 10" x 12" HALF PANS.

12 x 20 SIZE IS DESIGNED FOR USE WITH STANDARD 12" x 20" CAFETERIA PANS.

18 x 26 SIZE IS DESIGNED FOR USE WITH STANDARD 18" x 26" BAKERY TRAYS.

NUMBER	DESCRIPTION	PRICE
10 x 12 DC	10" x 12", Height 6" 3/16" gauge	$ 5.00 ea
12 x 20 DC	12" x 20", Height 8" 1/4" gauge	11.00 ea
18 x 26 DC	18" x 26", Height 8" 1/4" gauge	14.00 ea

Packed Two to a Carton

NOT TO BE USED OVER DIRECT FLAME OR CALROD UNITS

Temperature Limit 180°



PEBBLED PUNCH BOWLS

NUMBER	DESCRIPTION	PRICE
18-PPB	18" dia., 8" deep 1/4" gauge	$11.50 ea

Packed Four to a Carton

PUNCH BOWL STANDS - $4.75 ea

Packed Four to a Carton



PEBBLED SALAD BOWLS

NUMBER	DESCRIPTION	PRICE
8-PSB	8" dia., 2" deep 3/16" gauge	$ 4.00 ea
10-PSB	10" dia., 3" deep 3/16" gauge	4.50 ea
12-PSB	12" dia., 4" deep 1/4" gauge	5.17 ea
15-PSB	15" dia., 5" deep 1/4" gauge	7.34 ea
18-PSB	18" dia., 6" deep 1/4" gauge	11.15 ea
23-PSB	23" dia., 8" deep 1/4" gauge	17.40 ea

Packed Four to a Carton

		PRICE
BC-125	8" dia.,	$2.70 ea
BC-125	9" dia., 1/8" gauge	2.70 ea
BC-125	10" dia., 1/8" gauge	3.00 ea
BC-125	10½" dia., 1/8" gauge	3.00 ea

ALSO OTHER SIZES UPON REQUEST

SEND PLATE IN INSURE PROPER FIT



OVAL PLATTER COVERS

CORRECTLY MADE TO FIT STANDARD PLATTERS

NUMBER	DESCRIPTION	PRICE
OPC-125	9" and 10"	$4.00 ea
OPC-125	12" and 14"	4.50 ea



POST CARD HOLDERS

HANDY COUNTER CONTAINER FOR POSTCARDS – HOLDS 50 REGULAR SIZE POSTCARDS.

$18.00 PER DOZEN

Packed 1 Dozen to Carton

(SPECIAL SIZES MADE TO ORDER)



TABLE PLACE CARD HOLDERS

CLEAR TRANSPARENT PLEXIGLAS

HOLDER	DESCRIPTION	PRICE
THIS SECTION CLOSED	2 1/4" x 7"	$16.80 doz
RESERVED	3 1/2" x 4 3/8"	15.60 doz
DIET	2 1/4" x 2 1/4"	9.60 doz
MENU	3 1/2" x 5 1/2"	16.80 doz

Packed 2 Dozen to a Carton

(SPECIAL SIZES MADE TO ORDER)

MANUFACTURED BY – PALMER DISTRIBUTORS, INC., P.O. BOX 5002, DETROIT 36, MICHIGAN

(CUT OFF ON DOTTED LINE)

ABOVE PRICES ARE LIST

DEALER DISCOUNT – 50% OFF LIST

WRITE US FOR ADDITIONAL QUANTITY DISCOUNTS

(original in D7/3)

D7-391

PLEXIGLAS

For America's Finest Food Displays



PIE COVERS

THESE HANDSOME, CLEAR, HEAVY PLEXIGLAS COVERS WITH THREE-TIERED CHROME RACK UNITS, DISPLAY PASTRIES AT THEIR TEMPTING BEST.

NUMBER	DESCRIPTION	PRICE
12 PC-187	12" dia. Height 9" 3/16" gauge, Chrome Rack	$6.67 ea

Packed Two to a Carton



CAKE COVERS

NUMBER	DESCRIPTION	PRICE
10-C187	10" dia. Chrome Handle Height 6", 3/16" gauge	$4.33 ea
12-C187	12" dia. Chrome Handle Height 6", 3/16" gauge	4.66 ea
13-C187	13" dia. Chrome Handle Height 6", 3/16" gauge	5.32 ea
15-C187	15" dia. Chrome Handle Height 6", 3/16" gauge	6.34 ea
18-C187	18" dia. Chrome Handle Height 7", 3/16" gauge	9.90 ea

PLEXIGLAS CAKE TRAYS ALSO AVAILABLE TO FIT 12" CAKE COVER. MADE OF 3/16" GAUGE MATERIAL, $4.66 EA.

Packed Four to a Carton



SNACK TRAYS

NUMBER	DESCRIPTION	PRICE
ST-125	BLACK PLEXIGLAS 10" dia, 3/16" gauge	$6.00 ea
ST-187	CLEAR PLEXIGLAS 10" dia, 3/16" gauge	5.00 ea

Center for dips, peanuts, chips, olives, shrimp, etc.

Packed Four to a Carton



PASTRY TRAY COVERS

AVAILABLE IN TWO SIZES:

9 x 26 SIZE IS DESIGNED FOR USE WITH STANDARD 9" x 26" PASTRY TRAY.

18 x 26 SIZE IS DESIGNED FOR USE WITH STANDARD 18" x 26" BAKERY TRAY.

NUMBER	DESCRIPTION	PRICE
9 x 26-187	9" x 26", Height 4" 3/16" gauge	$ 8.00 ea
18 x 26-187	18" x 26", Height 4" 3/16" gauge	11.00 ea

Packed Two to a Carton



PASTRY TRAY COVERS – HINGED

NUMBER	DESCRIPTION	PRICE
18x26-187	18" x 26", Height 4" 3/16" gauge	$14.00 ea

Packed Two to a Carton



SALAD BOWLS

NUMBER	DESCRIPTION	PRICE
10-SB 250	10" dia, 3" deep, 1/4" gauge	4.34 ea
12-SB 250	12" dia, 4" deep, 1/4" gauge	4.67 ea
13-SB 250	13" dia, 4½" deep, 1/4" gauge	5.34 ea
15-SB 250	15" dia, 5" deep, 1/4" gauge	6.34 ea
18-SB 250	18" dia, 6" deep, 1/4" gauge	9.50 ea
23-SB 250	23" dia, 8" deep, 1/4" gauge	13.90 ea

PLEXIGLAS SALAD BOWL COVERS ALSO AVAILABLE TO FIT ALL SIZE BOWLS.

Packed Four to a Carton

Also Available in Many Colors



DOUGHNUT COVERS

NUMBER	DESCRIPTION	PRICE
12 x 18-125	12" x 18", Height 3" 1/8" gauge	$5.00 ea
14 x 18-187	14" x 18", Height 5" 3/16" gauge	8.00 ea

Packed Six to a Carton

Other Sizes Available Upon Request



CAFETERIA PAN COVERS

CORRECTLY MADE TO FIT 12" x 20" SERIES CAFETERIA PANS

NUMBER	DESCRIPTION	PRICE
12 x 20-187	12" x 20", Height 4", 3/16" gauge	$8.00 ea

Packed Two to a Carton

NOT TO BE USED OVER DIRECT FLAME OR CALROD UNITS

Temperature Limit 180°



TRANSPARENT COVERS

FOR SILVER BOXES – $3.00 ea

FOR U.S. RUBBER - BLOOMFIELD - ANY OTHERS

SPECIAL PRICE SALAD BOWLS

CRYSTAL CLEAR PLEXIGLAS 3/16" GAUGE MADE IDENTICAL TO OUR SB-250 - 1/4 IN.

NUMBER	DESCRIPTION	PRICE
8-SB 187	8" dia., 2" deep 3/16" gauge	$ 3.50 ea
10-SB 187	10" dia., 3" deep 3/16" gauge	3.96 ea
12-SB 187	12" dia., 4" deep 3/16" gauge	4.27 ea
13-SB 187	13" dia., 4½" deep 3/16" gauge	4.84 ea
15-SB 187	15" dia., 5" deep 3/16" gauge	5.64 ea
18-SB 187	18" dia., 6" deep 3/16" gauge	8.90 ea

Packed Six to a Carton

PLEXIGLAS SALAD BOWL COVERS ALSO AVAILABLE TO FIT ALL SIZES

MANUFACTURED BY – PALMER DISTRIBUTORS, INC., P.O. BOX 5002, DETROIT 36, MICHIGAN

FEB 18 1963

(CUT OFF ON DOTTED LINE)

ABOVE PRICES ARE LIST

DEALER DISCOUNT – 50% OFF LIST

WRITE US FOR ADDITIONAL QUANTITY DISCOUNTS

4-1-62

NB 44

~~D44 1.11~~ 92
D 7/~~131~~ 391

Home Furnishings Daily
Feb. 13, 1964
P. 13

No Turn Nor Curl



BACON IRONER — This tempered glass frying aid is being offered by Soovia Janis, Inc., New York. When placed on top of bacon in a frypan it is said to enable both sides of the bacon to fry without turning, and to keep bacon from curling. It may be used also with other meats and grilled sandwiches. Available in 8-inch diameter, round and square, and 9-inch, square only, it retails at $4.

D7/391 UXF

281006

AUSTRALIA



Fig.1.



Fig.2.



Fig.3.

281006
37,179/63

COMMONWEALTH OF AUSTRALIA

PATENT SPECIFICATION

		Class	Int. Cl.
Application Number	37,179/63.	57.5; 86.3.	B67b; B65f.
Lodged	31st October, 1963.		
	Accompanied by a Provisional Specification.		

AUSTRALIA
DIV. 310
220

Complete Specification Entitled: **LIDS FOR GARBAGE TINS AND LIKE CONTAINERS.**

Lodged	14th October, 1964.
Accepted	Lapsed before accepted.
Published	21st April, 1966.
Convention Priority	-

Applicant: MALLEYS LIMITED.

Actual Inventor: KEVIN CHARLES SCOTT.

Related Art:

221,048(16,645/56)	57.5.
18,070/24	86.3.
234,840(53,287/59)	86.3.

The following statement is a full description of this invention, including the best method of performing it known to us:

Printed for the Government of the Commonwealth by A. J. Arthur, Commonwealth Government Printer, Canberra

96-1D-14/3/68-10P.C.

This invention relates to lids for garbage bins and like containers.

Lids to which the present invention is applicable are those commonly made of pressed sheet metal or moulded plastic material, comprising a downwardly extending, usually cylindrical, skirt which, when the lid is applied to the container, surrounds the upper portion of the container wall just below the rim or top opening, and a roof which is usually slightly upwardly domed, and which, partly for appearances, but primarily for strengthening purposes, is radially fluted; the individual flutes being angularly divergent and radially directed from the middle region of the roof towards the skirt. Usually the middle region of the roof is unfluted and carries a handle secured to the roof, integrally or by spot welding, reveting or otherwise.

In lids of the kind indicated, the flutes are usually triangular in cross-sectional shape, and in such lids as manufactured herebefore, the flutes extend right to the outer edge of the roof where it joins the skirt. Again, it is usual to make the skirt relatively loose fitting with respect to the container with which it is to be used, so that there will be no difficulty in putting the lid on or taking it off.

Container lids of the kind described are open to objection in one respect; that is, the loose-fitting nature of the skirt relative to the container, and the open, usually triangular, outer ends of the flutes, provide a multiplicity of passage-ways through which

flies and other insects may gain access to the interior of the container when the container is closed by the lid.

The object of the present invention is to overcome, or at least ameliorate, the disability referred to above.

The invention consists in a lid for a garbage bin or like container, of the kind comprising a fluted roof and a skirt which depends from the outer edge of the roof, characterised in that the roof joins the skirt by way of an unfluted band able to rest flatly and substantially continuously throughout its length upon the rim of the container.

An example of the invention is illustrated in the drawings herewith.

Fig. 1 is a plan of a circular lid.

Fig. 2 is a side elevation of the lid shown in Fig. 1.

Fig. 3 is a fragmentary section taken (on a larger scale) on line 3 - 3 in Fig. 1.

The lid roof 4 is radially fluted and furnished with an unfluted middle part 5 carrying a handle 6. Skirt 7 depends from the outer edge of the roof. The roof joins the skirt by way of unfluted band 8 which is able to rest flatly and substantially continuously throughout its length upon the rim of the container. Part of this rim is indicated at 9 in Fig. 3.

The lid band 8 will be formed with the intention of it making close contact with the container rim throughout the circumferential length of the band and

the rim, but slight irregularities arising in commercial production of the lids, or of the containers, may cause the band and the rim to be minutely spaced apart at one or more points about their mutually confronting surfaces; hence, the use of the term "substantially continuously" in this description and in the claims which follow.

The band 8 is of such radial width as to be able to cover the container rim so as to act as a seal denying insect access to the vessel interior when the lid is applied to the container.

It will be appreciated that although the band is referred to herein as being able to rest "flatly" on the container rim, it is flat only in the sense that it is unfluted. In other words, it could be annular or frustro-conical (as shown) provided it is able to sit upon the container rim virtually in contact with the rim throughout the circumferential length of that rim. It is expected that in most cases the invention will be applied to lids and containers which are, circular in plan as shown. However, the invention is equally applicable to lids and containers which are oval, rectangular, or of other shape, when viewed in plan.

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A lid for a garbage bin or like container, of the kind comprising a fluted roof and a skirt which depends from the outer edge of the roof, characterised in that the roof joins the skirt by way of an unfluted band able to rest flatly and substantially continuously throughout its length upon the rim of the container. (31st October, 1963)

2. A lid according to Claim 1 which is circular in plan. (31st October, 1963)

3. A lid according to Claim 1 or Claim 2 in which the band is frustro-conical. (31st October, 1963)

4. A lid according to Claim 1 or Claim 2 in which the band is annular. (31st October, 1963)

5. A lid for a garbage bin or like container substantially as herein described with reference to the drawings herewith. (31st October, 1963)

DATED this Thirteenth day of October, 1964.

MALLEYS LIMITED

By its Patent Attorneys:

EDWD. WATERS & SONS, SYDNEY

D7/ #37 391

27 Available Models

COCKTAIL SERVICE STATIONS

Announcing

ICE-KAPS

Model CK-24

The New Indispensable Transparent Cover that affords the ultimate in protection and function when using ice bins.

★ **UNBREAKABLE** Welcome to the world of **LEXAN,** the plastic that Lasts . . . Lasts . . . Lasts.

★ **ADAPTABLE** This optional ICE-KAP readily fits all 24" cocktail units manufactured by *Supremetal*.

★ **SURE-FIT** Positive keyhole slide lock insures ICE-KAP staying in place while in use.

FOODSERVICE EQUIPMENT DEALER JUNE, 1976 P.9

Design Innovations that Handle ICE as a Food!



PS-MX-48

INTEGRAL WORKBOARD COCKTAIL COMBOS, AVAILABLE

Featuring

★ **NEW** Bottles stored outside and away from ice bins.

★ **DOUBLE** Your service capability "TWICE the ICE!"

★ **UNIQUE** One piece **Deep Drawn** stainless steel ice bins.

★ **COLD PLATE** Optional, installed as an integral part of the ice bin.

CONFORMS TO ALL PROPOSED GUIDELINES CONCERNING ICE AND ITS USE.

© Sept. 1975

Supremetal SUPREME METAL FABRICATORS, INC.
700 Summa Avenue, Westbury, L. I., N. Y. 11590 (516) 333-2525

D7/391

.HE HOUSEHOLI

DECEMBER, 1982 HONG KONG ENTERPRISE

The "Made-in-Hong-Kong" label is now one of the most popular found on high-quality household goods.

PAGE 202

As one of the world's most prolific manufacturers and suppliers of light consumer and industrial goods, Hong Kong produces a wide range of products for household use.

Products for the home include an almost infinite variety of quality cooking utensils and flatware, kitchen accessories, pitchers and tumblers, aprons, mittens and pot holders, just about anything used in a kitchen is — or can be — made here. Made not just to fulfill orders placed by buyers throughout the world, Hong Kong's household products also compete directly against name brand products.

"Super Heavy" 4-piece frying p
"Silverstone" interior and brightly-polish
and a "universal" lid that can be used
sautée pans — from Meyer Manufacturin



D7/391



No more spatters. No more dried-out foods or melted plastic wrap: just perfect, effortless microwave cooking with this versatile domed cover. It fits over plates, carousels and other microwave oven accessories to assure better results and save clean-up. Turn the adjustable vent to lock steam and heat inside as you cook and serve. Virtually unbreakable; dishwasher-safe. A necessity for maximum enjoyment from your space-age servant. 12" in diameter; 3" high.

Microwave Cooking Cover ☐ #13-10925-1 ☐ Orig. 10.00 NOW 9.00

No shipping charges! See Coupon. Signatures® 19465 Brennan Ave., Perris CA 92599 (909) 943-2021 F-5441R-50

Recvd 11/3/95

D7/391

SIGNATURES Flyer
Recv'd May 27, 1996

Eliminate micro mess with our clever coverups. These round domed lids replace plastic wrap and paper towels as you heat and cook in your microwave oven. And not only catch the inevitable spatters but collect drips and condensation in a special reservoir to keep the bottom of the 'wave as clean as the sides and top. Heavy-gauge plastic; top-shelf dishwasher-safe. We'll send the set of three — 6", 8" and 9" in diameter.

Microwave Coverups ☐ #10-47355-1 ☐ 18.00

No shipping charges! See Coupon. Signatures • 19465 Brennan Ave., Perris CA 92599 (909) 943-2021 F-40340R 3